

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1199	(711/112).CCLS.	USPAT; USOCR	OR	OFF	2006/07/21 09:53
L2	820	(711/113).CCLS.	USPAT; USOCR	OR	OFF	2006/07/21 09:53
L3	656	(711/137).CCLS.	USPAT; USOCR	OR	OFF	2006/07/21 09:53
L4	16426	((retriev\$3 or prefetch\$3 or pre-fetch\$3 or preload\$3 or pre-load\$3) with cache)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/21 09:56
L5	111	1 and 4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/21 09:55
L6	283	2 and 4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/21 09:55
L7	469	3 and 4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/21 09:55
L8	1212	((retriev\$3 or prefetch\$3 or pre-fetch\$3 or preload\$3 or pre-load\$3) near10 base\$1) with cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/21 09:57
L9	6	1 and 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/21 09:57
L10	44	2 and 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/21 09:57

EAST Search History

L11	120	3 and 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/21 09:57
L12	177	((retriev\$3 or prefetch\$3 or pre-fetch\$3 or preload\$3 or pre-load\$3) near10 base\$1) with ((stor\$3 or writ\$3) near2 cache)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/21 09:58
L13	16	3 and 12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/21 09:58
S1	250	retriev\$3 with based with historical	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 15:29
S2	4	retriev\$3 with based with historical with cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 13:24
S3	58	based with historical with cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 15:25
S4	368	device near2 usage near2 data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 15:26
S5	21	based near10 (device near2 usage near2 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 15:26

EAST Search History

S6	176	retriev\$3 near10 based near10 historical	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 15:29
S7	3	(retriev\$3 near10 based near10 historical) same cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 15:30
S8	913	(retriev\$3 near10 based) same cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 15:31
S9	483	(retriev\$3 near10 data near10 based) same cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 15:32
S10	277	(retriev\$3 near10 data near10 based) with cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 15:32
S11	66	(retriev\$3 near10 data near10 based) with (stor\$3 near5 cache)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 15:44
S12	3452	(pre-fetch\$3 or prefetch\$3 or preload\$3 or pre-load\$3) with based	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 15:46
S13	577	((pre-fetch\$3 or prefetch\$3 or preload\$3 or pre-load\$3) near10 based) with cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 15:46

EAST Search History

S14	122	((pre-fetch\$3 or prefetch\$3 or preload\$3 or pre-load\$3) near10 based) with (stor\$3 near10 cache)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 16:12
S15	0	((pre-fetch\$3 or prefetch\$3 or preload\$3 or pre-load\$3) near10 based near10 identification) with (stor\$3 near10 cache)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 16:13
S16	2	((pre-fetch\$3 or prefetch\$3 or preload\$3 or pre-load\$3) near10 based near10 identification) with (cache)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 16:13
S17	4	((pre-fetch\$3 or prefetch\$3 or preload\$3 or pre-load\$3) near10 based near10 historical) with (cache)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 16:25
S18	15	((pre-fetch\$3 or prefetch\$3 or preload\$3 or pre-load\$3) near10 based near10 historical)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 16:20
S19	0	((pre-fetch\$3 or prefetch\$3 or preload\$3 or pre-load\$3) near10 based near10 (access adj inforamtion))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 16:21
S20	0	((pre-fetch\$3 or prefetch\$3 or preload\$3 or pre-load\$3) with based with (access adj inforamtion))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 16:21
S21	0	((pre-fetch\$3 or prefetch\$3 or preload\$3 or pre-load\$3) with based with (inforamtion))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 16:21

EAST Search History

S22	3452	((pre-fetch\$3 or prefetch\$3 or preload\$3 or pre-load\$3) with based	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 16:21
S23	1029	((pre-fetch\$3 or prefetch\$3 or preload\$3 or pre-load\$3) with based) same cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 16:22
S24	658	((pre-fetch\$3 or prefetch\$3 or preload\$3 or pre-load\$3) with based) with cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 16:22
S25	1	((pre-fetch\$3 or prefetch\$3 or preload\$3 or pre-load\$3) with based with requester) same cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 16:22
S26	1029	((pre-fetch\$3 or prefetch\$3 or preload\$3 or pre-load\$3) with based) same cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 16:23
S27	8	((pre-fetch\$3 or prefetch\$3 or preload\$3 or pre-load\$3) with based) same cache with (mass near5 storage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 16:23
S28	577	((pre-fetch\$3 or prefetch\$3 or preload\$3 or pre-load\$3) near10 based) with (cache)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 16:26
S29	2100	((read\$3 or retriev\$3 or pre-fetch\$3 or prefetch\$3 or preload\$3 or pre-load\$3) near10 based) with (cache)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 16:30

EAST Search History

S30	0	((read\$3 or retriev\$3 or pre-fetch\$3 or prefetch\$3 or preload\$3 or pre-load\$3) near10 based) with (cache) with (disk adj (ID or identification))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 16:31
S31	0	((read\$3 or retriev\$3 or pre-fetch\$3 or prefetch\$3 or preload\$3 or pre-load\$3) near10 based) with (cache) with (disk adj (ID or identification))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 16:31
S32	2	(read\$3 or retriev\$3 or pre-fetch\$3 or prefetch\$3 or preload\$3 or pre-load\$3) with based with (disk adj (ID or identification)) same cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 16:32
S33	47	(read\$3 or retriev\$3 or pre-fetch\$3 or prefetch\$3 or preload\$3 or pre-load\$3) with based with (disk adj (ID or identification))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 18:30
S34	467	(read\$3 or retriev\$3 or pre-fetch\$3 or prefetch\$3 or preload\$3 or pre-load\$3) with based with (historical)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 18:31
S35	306	(read\$3 or retriev\$3 or pre-fetch\$3 or prefetch\$3 or preload\$3 or pre-load\$3) near10 based near10 (historical)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 18:31
S36	1	((read\$3 or retriev\$3 or pre-fetch\$3 or prefetch\$3 or preload\$3 or pre-load\$3) near10 based near10 (historical)) and (disk adj (ID or identification))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 18:32
S37	28	(read\$3 or retriev\$3 or pre-fetch\$3 or prefetch\$3 or preload\$3 or pre-load\$3) near10 based near10 (usage adj data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 18:34

EAST Search History

S38	208	(read\$3 or retriev\$3 or pre-fetch\$3 or prefetch\$3 or preload\$3 or pre-load\$3) near10 based near10 (access adj information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 18:35
S39	53217	retriev\$3 with based	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/03 10:36
S40	250	retriev\$3 with based with historical	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/03 10:37
S41	1726	((retriev\$3 or prefetch\$3 or pre-fetch\$3) near10 based) same cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/03 10:38
S42	1061	((retriev\$3 or prefetch\$3 or pre-fetch\$3) near10 based) with cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/03 10:40
S43	5	((retriev\$3 or prefetch\$3 or pre-fetch\$3) near10 based near10 historical) with cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/03 10:45
S44	92	((retriev\$3 or prefetch\$3 or pre-fetch\$3) near10 (mass adj storage)) with cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/03 10:53
S45	6	((retriev\$3 or prefetch\$3 or pre-fetch\$3) near10 (mass adj storage) near10 based) with cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/03 10:55

EAST Search History

S46	1726	((retriev\$3 or prefetch\$3 or pre-fetch\$3) near10 based) same cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/03 10:55
S47	1061	((retriev\$3 or prefetch\$3 or pre-fetch\$3) near10 based) with cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/03 12:07
S48	3	((retriev\$3 or prefetch\$3 or pre-fetch\$3) near10 based near10 (information near5 requester)) with cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/03 10:57
S49	5	((retriev\$3 or prefetch\$3 or pre-fetch\$3) near10 based near10 requester) with cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/03 10:58
S50	9	((retriev\$3 or prefetch\$3 or pre-fetch\$3) with based with requester) same cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/03 10:58
S51	912	((retriev\$3 or prefetch\$3 or pre-fetch\$3) near10 based near10 profile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/03 11:06
S52	19	((retriev\$3 or prefetch\$3 or pre-fetch\$3) near10 based near10 profile) same cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/03 11:38
S53	309	((retriev\$3 or prefetch\$3 or pre-fetch\$3) near10 based near10 information) same cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/03 11:57

EAST Search History

S54	3	((retriev\$3 or prefetch\$3 or pre-fetch\$3) near10 based near10 (storage adj information)) same cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/03 11:40
S55	1061	((retriev\$3 or prefetch\$3 or pre-fetch\$3) near10 based) with cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/03 11:41
S56	47	((retriev\$3 or prefetch\$3 or pre-fetch\$3) near10 based) with cache with (disk)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/03 11:41
S57	48	((retriev\$3 or prefetch\$3 or pre-fetch\$3) near10 based) with cache with (disk\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/03 12:49
S58	45517	((retriev\$3 or prefetch\$3 or pre-fetch\$3) near10 based)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/03 11:57
S59	1726	S58 same cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/03 11:57
S60	0	S58 same cache same (disk adj (ID or identification))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/03 11:57
S61	5	S59 and (disk adj (ID or identification))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/03 11:58

EAST Search History

S62	0	((retriev\$3 or prefetch\$3 or pre-fetch\$3) near10 based) with (requester near5 profile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/03 12:08
S63	16	(retriev\$3 or prefetch\$3 or pre-fetch\$3) with (requester near5 profile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/03 12:30
S64	259	(retriev\$3 or prefetch\$3 or pre-fetch\$3) with (requester near5 information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/03 12:35
S65	4	(retriev\$3 or prefetch\$3 or pre-fetch\$3) with (requester near5 information) with cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/03 12:31
S66	32	(retriev\$3 or prefetch\$3 or pre-fetch\$3) with (requester near5 data) with cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/03 12:36
S67	19	(retriev\$3 or prefetch\$3 or pre-fetch\$3) with (requester adj information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/03 12:35
S68	1061	((retriev\$3 or prefetch\$3 or pre-fetch\$3) near10 based) with cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/03 12:37
S69	26	((retriev\$3 or prefetch\$3 or pre-fetch\$3) near10 based near10 (ID or identification)) with cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/03 12:40

EAST Search History

S70	188	((retriev\$3 or prefetch\$3 or pre-fetch\$3) near10 based near10 historical)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/03 12:49
S71	36	((retriev\$3 or prefetch\$3 or pre-fetch\$3) near10 based near10 historical) and cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/03 13:35
S72	1061	((retriev\$3 or prefetch\$3 or pre-fetch\$3) near10 based) with cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/03 13:37
S73	758	((retriev\$3 or prefetch\$3 or pre-fetch\$3) near5 based) with cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/03 13:37
S74	163	((retriev\$3 or prefetch\$3 or pre-fetch\$3) near10 based) with cache with (disk or storage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/03 13:38
S75	223	((retriev\$3 or prefetch\$3 or pre-fetch\$3) near10 based) with (stor\$3 near5 cache)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/03 13:39
S76	195	((retriev\$3 or prefetch\$3 or pre-fetch\$3) near10 based) with (stor\$3 near5 cache)) and (disk or storage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/03 13:39
S77	113	((retriev\$3 or prefetch\$3 or pre-fetch\$3) near10 based) with (stor\$3 near5 cache)) and (disk or (storage adj device))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/03 14:14

EAST Search History

S78	223	((retriev\$3 or prefetch\$3 or pre-fetch\$3) near10 based) with (stor\$3 near5 cache))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/03 16:16
S79	0	((retriev\$3 or prefetch\$3 or pre-fetch\$3) near10 based near10 (block adj address)) with (stor\$3 near5 cache))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/03 14:16
S80	24	((retriev\$3 or prefetch\$3 or pre-fetch\$3) near10 based near10 (address)) with (stor\$3 near5 cache))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/03 15:08
S81	190	((retriev\$3 or prefetch\$3 or pre-fetch\$3) near10 based) near10 (stor\$3 near5 cache))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/03 15:22
S82	219	((retriev\$3 or prefetch\$3 or pre-fetch\$3) near10 based historical) near10 (stor\$3 near5 cache))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/03 15:22
S83	1	((retriev\$3 or prefetch\$3 or pre-fetch\$3) near10 based near10 historical) near10 (stor\$3 near5 cache))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/03 15:23
S84	1	((retriev\$3 or prefetch\$3 or pre-fetch\$3) near10 based near10 historical) with (stor\$3 near5 cache))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/03 15:23
S85	549	((retriev\$3 or prefetch\$3 or pre-fetch\$3) near10 based (device near2 information)) with (stor\$3 near5 cache))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/03 15:24

EAST Search History

S86	2	((retriev\$3 or prefetch\$3 or pre-fetch\$3) near10 based near10 (device near2 information)) with (stor\$3 near5 cache))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/03 15:27
S87	56	((retriev\$3 or prefetch\$3 or pre-fetch\$3) near10 based near10 information) with (stor\$3 near5 cache))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/03 15:27
S88	0	((retriev\$3 or prefetch\$3 or pre-fetch\$3) near10 based near5 on) with (stor\$3 near5 cache))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/03 16:15
S89	0	((retriev\$3 or prefetch\$3 or pre-fetch\$3) near10 based near5 "on") with (stor\$3 near5 cache))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/03 16:15
S90	1998	(retriev\$3 or prefetch\$3 or pre-fetch\$3) near10 (mass near2 storage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/06 11:03
S91	62	((retriev\$3 or prefetch\$3 or pre-fetch\$3) near10 (mass near2 storage)) with based	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/06 11:06
S92	1	((retriev\$3 or prefetch\$3 or pre-fetch\$3) near10 (disk adj ID)) with based	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/06 11:17
S93	339	((retriev\$3 or prefetch\$3 or pre-fetch\$3) and (disk adj ID))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/06 11:07

EAST Search History

S94	74	((retriev\$3 or prefetch\$3 or pre-fetch\$3) with based) and (disk adj ID))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/06 11:10
S95	648	(711/137).CCLS.	USPAT; USOCR	OR	OFF	2006/07/06 11:11
S96	1	S95 and (disk adj (ID or identification))	USPAT	OR	OFF	2006/07/06 11:11
S97	1847	(prefetch\$3 or pre-fetch\$3) near10 based	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/06 11:17
S98	20	(prefetch\$3 or pre-fetch\$3) near10 based near10 (access adj (information or data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/06 11:22
S99	42	(prefetch\$3 or pre-fetch\$3) near10 based near10 (ID or identification)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/06 11:29
S10 0	0	(prefetch\$3 or pre-fetch\$3) near10 based near10 (large adj block adj address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/06 11:30
S10 1	6	(prefetch\$3 or pre-fetch\$3) near10 based near10 (block adj address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/06 11:33
S10 2	1	(prefetch\$3 or pre-fetch\$3) near10 RAID near10 based	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/06 11:34

EAST Search History

S10 3	13	(prefetch\$3 or pre-fetch\$3) near10 based near10 historical	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/06 11:38
S10 4	0	(prefetch\$3 or pre-fetch\$3) near10 based near10 (device adj information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/06 11:38
S10 5	10	(prefetch\$3 or pre-fetch\$3) near10 based near10 (device near5 information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/06 12:18
S10 6	47	((prefetch\$3 or pre-fetch\$3) near10 disk\$1) with based	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/06 12:19
S10 7	0	((prefetch\$3 or pre-fetch\$3) near10 (from adj disk\$1)) with based	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/06 12:19
S10 8	2	((("6516389") or ("6003115")).PN.	USPAT; USOCR	OR	OFF	2006/07/07 16:40
S10 9	1	("5577224").PN.	USPAT; USOCR	OR	OFF	2006/07/07 16:40
S11 0	578	device near3 layout near5 information	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/07 17:17
S11 1	6	(device near3 layout near5 information) and (FAT or NTFS)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/07 17:20

EAST Search History

S11 2	64	(device near3 layout) and (FAT or NTFS)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/07 17:27
S11 3	108	(disk near3 layout) and (FAT or NTFS)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/07 17:33
S11 4	68	(disk near3 data near5 (ayout format)) and (FAT or NTFS)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/07 17:33
S11 5	103	(disk near3 data near5 (layout or format)) and (FAT or NTFS)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/07 17:34
S11 6	38	(disk near3 data near5 (layout or format)) and (FAT or NTFS) and cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/07 17:34
S11 7	1	("20050091442").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/07 17:47
S11 8	0	(read\$3 or retriev\$3 or pre-fetch\$3 or prefetch\$3 or preload\$3 or pre-load\$3) with (based near2 on)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/11 10:02
S11 9	271792	(read\$3 or retriev\$3 or pre-fetch\$3 or prefetch\$3 or preload\$3 or pre-load\$3) with (based)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/11 10:03
S12 0	213298	(read\$3 or retriev\$3 or pre-fetch\$3 or prefetch\$3 or preload\$3 or pre-load\$3) near10 (based)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/11 10:03

EAST Search History

S12 1	652	(711/137).CCLS.	USPAT; USOCR	OR	OFF	2006/07/11 10:03
S12 2	283	S120 and S121	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/11 10:03
S12 3	9660	((read\$3 or retriev\$3 or pre-fetch\$3 or prefetch\$3 or preload\$3 or pre-load\$3) near10 (based)) same disk\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/11 10:04
S12 4	77	((read\$3 or retriev\$3 or pre-fetch\$3 or prefetch\$3 or preload\$3 or pre-load\$3) near10 (based)) same (disk\$1 near2 ID)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/11 10:04
S12 5	1	S121 and S124	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/11 10:04
S12 6	16	(disk adj ID) with (device near5 information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/12 15:56
S12 7	12	(disk adj ID) with (access near5 information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/12 16:28
S12 8	11	(disk adj identification) with (access near5 information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/12 16:12
S12 9	0	(vevice adj identification) with (access near5 information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/12 16:08

EAST Search History

S13 0	132	(device adj identification) with (access near5 information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/12 16:08
S13 1	54	(device adj identification) with (access near5 information) with (compris\$3 or includ\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/12 16:09
S13 2	0	(disk adj identification) with (prefetch\$3 or pre-fetch\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/12 16:13
S13 3	0	(disk adj ID) with (prefetch\$3 or pre-fetch\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/12 16:13
S13 4	0	(disk adj ID) same (prefetch\$3 or pre-fetch\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/12 16:13
S13 5	21	(disk adj ID) and (prefetch\$3 or pre-fetch\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/12 16:13
S13 6	0	(disk adj ID) with (prefetch near5 table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/12 16:29
S13 7	0	(disk adj ID) same (prefetch near5 table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/12 16:29

EAST Search History

S13 8	0	(disk adj ID) same (prefetch\$3 near5 (table or list or (data adj structure)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/12 16:30
S13 9	2	(device adj ID) same (prefetch\$3 near5 (table or list or (data adj structure)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/12 17:01
S14 0	31	(ID) same (prefetch\$3 near5 (table or list or (data adj structure)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/12 16:32
S14 1	6	((device or disk) adj (identification or ID)) same (prefetch\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/12 17:01
S14 2	282	((device or disk) adj (identification or ID)) and (prefetch\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/12 17:02
S14 3	6	((device or disk) adj (identification or ID)) same (prefetch\$3 or pre-fetch\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/12 18:04
S14 4	6	((device or disk or storage) adj (identification or ID)) same (prefetch\$3 or pre-fetch\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/12 18:04